


Typhur

Typhur Sync

Replacement Probe Pairing Instructions



v1.0

2024.01

Preparation Before Pairing:


1. Ensure that the probe number you received matches the one you want to replace (e.g., Probe 1, Probe 2). If the numbers do not match, contact Typhur Support.
2. Make sure the Device Base to be paired is paired with your mobile phone.
3. Insert the probe to be paired into the Device Base for at least 2 minutes to ensure that the probe is fully charged.
4. Place the probe to be paired next to the Device Base.

Note:

The successfully paired new probe will automatically replace the original probe. There is no need to unpair the original probe.


Pairing Instructions:

1. Open the Typhur App and navigate to the **Devices** page. Locate the device you need to re-pair the probes with, tap the **Settings** icon in the top right corner, and enter the device's **Settings** page.




Typhur Sync Replacement Probe Pairing Instructions

2. On the **Settings** page, tap on **Probes** to go to the **Probes** page. Tap the **Pair probe** option to enter the probe pairing process.




Typhur Sync Replacement Probe Pairing Instructions

3. Please read the notes on this page carefully, then tap **Next** to start searching for probes that can be paired.




Typhur Sync Replacement Probe Pairing Instructions

4. Upon completion of the search, a list of **Available** probes will be displayed.
- To pair a probe, select the corresponding probe based on the **SN code** on the package, and tap **Pair**.



5. The page displays **Paired Successfully**, which indicates a successful pairing.




Typhur Sync Replacement Probe Pairing Instructions

Note:

If an **"Unavailable"** message appears, it may be for one of two reasons:

1. The probes are too far away from the base and the signal strength is not within the range of pairing. In this case, you will need to place the probes closer to the base.
2. The Device Base may be searching for other probes nearby. If this is the case, you will need to move the other probes away from the Device Base.



WE ARE HERE FOR YOU



Contact
Typhur Support

If you have any questions about this document,
please contact Typhur by sending a message to **support@typhur.com**

© 2024 Typhur Inc. All rights reserved.